

# *Ecological Research*

Volume 17  
2002

EDITOR-IN-CHIEF  
Seigo Higashi

ASSOCIATE EDITORS  
Takashi Kohyama  
Masahito Kimura  
Akihiro Sumida



**Blackwell**  
Publishing

ISSN 0912-3814

# Ecological Research

## EDITOR-IN-CHIEF

Seigo Higashi, Graduate School of Environmental Earth Science,  
Hokkaido University, Sapporo

## ASSOCIATE EDITORS

Takashi Kohyama, Graduate School of Environmental Earth  
Science, Hokkaido University, Sapporo  
Masahito Kimura, Graduate School of Environmental Earth  
Science, Hokkaido University, Sapporo  
Akihiro Sumida, Graduate School of Environmental Earth Science,  
Hokkaido University, Sapporo

## EDITORIAL BOARD

Kouki Hikosaka, Tohoku University, Sendai  
Takashi Kagaya, University of Tokyo, Tokyo  
Nobuhiro Kaneko, Yokohama National University, Yokohama  
Hiroyuki Matsuda, University of Tokyo, Tokyo  
Masashi Ohara, Hokkaido University, Sapporo  
Satoki Sakai, Tohoku University, Sendai  
Seiki Takatsuki, University of Tokyo, Tokyo  
Sun-Ke Hong, Seoul National University, Korea  
Katsuki Nakai, Lake Biwa Museum, Otsu  
Akira Osawa, Ryukoku University, Otsu  
Kanehiro Kitayama, Kyoto University, Otsu  
Takayuki Nakatsubo, Hiroshima University, Higashi-Hiroshima  
Ian M. Turner, National Parks Board, Singapore  
Hironori Yasuda, Yamagata University, Tsuruoka  
Naoko Tokuchi, Kyoto University, Otsu  
Tadashi Miyashita, University of Tokyo, Tokyo  
Toshiyuki Namba, Osaka Women's University, Sakai  
Shingo Miura, Forestry and Forest Products Research Institute,  
Morioka  
Seiichi Mori, Gifu Keizai University, Ogaki  
Satoshi Ohdachi, Hokkaido University, Sapporo  
Masayuki Maki, Tohoku University, Sendai  
Teruaki Hino, Forestry and Forest Products Research Institute,  
Kyoto  
Hirofumi Hirakawa, Forestry and Forest Products Research Institute,  
Sapporo

## EDITORIAL ADVISORY BOARD

Tom Fenchel, University of Copenhagen, Helsingør, Denmark  
Raghavendra Gadagkar, Indian Institute of Science, Bangalore,  
India  
Peter J. Grubb, University of Cambridge, Cambridge, UK  
Xingguo Han, Chinese Academy of Sciences, Beijing, People's  
Republic of China  
Jiro Kikkawa, University of Queensland, Brisbane, Australia  
Roger Kitching, Griffith University, Brisbane, Australia  
Byung-Hoon Lee, Chonbuk National University, Chonju, Republic  
of Korea  
Simon A. Levin, Princeton University, Princeton, USA  
Peter H. Raven, Missouri Botanical Garden, St Louis, USA  
Colin S. Reynolds, ERC Institute of Freshwater Ecology, Cumbria,  
UK  
David Tilman, University of Minnesota, St Paul, USA  
Edward O. Wilson, Harvard University, Cambridge, USA

## EDITORIAL ASSISTANT

Chie Miura, Hokkaido University, Sapporo, Japan  
Email: [ecores@ees.hokudai.ac.jp](mailto:ecores@ees.hokudai.ac.jp)

## Editorial Policy

*Ecological Research* has been published in English by the Ecological Society of Japan since 1986 in order to promote internationally the results of research in ecology. The Journal publishes peer-reviewed, original research papers, critical reviews, technical reports, and notes and comments covering all aspects of ecology. Manuscripts are

judged on the basis of their contribution of original data and ideas or interpretation. All articles are peer-reviewed by at least two researchers expert in the field of the submitted paper. Manuscripts are edited where necessary for clarity and economy.

Manuscripts submitted must not have been published, accepted for publication, or be under consideration elsewhere. All papers accepted become the copyright of the Society.

## Abstracting and Indexing

*Ecological Research* is indexed by BIOSIS Database, CAB Abstracts, Cambridge Scientific Abstracts, Chemical Abstracts Service, Current Contents/Agriculture, Biology and Environmental Sciences, Ecological Abstracts, Elsevier BIOBASE/Current Awareness in Biological Sciences, Environmental Periodicals Bibliography, GEOBASE, JOIS, Journals@Ovid, Meteorological & Geostrophysical Abstracts, Research Alert, Science Citation Index, SciSearch, UnCover, University Microfilms and Zoological Record.

## Editorial Correspondence

Manuscripts and editorial correspondence should be addressed to: Dr Seigo Higashi, *Ecological Research*, c/o Graduate School of Environmental Earth Science, Hokkaido University, Sapporo 060-0810, Japan (email: [ecores@ees.hokudai.ac.jp](mailto:ecores@ees.hokudai.ac.jp); fax: international +81 11 706 4864).

For detailed instructions concerning the submission of manuscripts, please refer to the Instructions to Authors at the back of a recent issue of the journal or visit the journal web page.

## Business Correspondence and Advertisement Booking

All matters relating to orders, subscriptions, back issues, offprints, advertisement booking and general enquiries should be addressed to: Blackwell Publishing Asia Pty Ltd, PO Box 378, Carlton, Victoria 3053, Australia (tel: (+61) 3 9347 0300; fax: (+61) 3 9347 5001; email: [info@blackwellpublishingasia.com](mailto:info@blackwellpublishingasia.com)).

Blackwell Publishing Asia's Tokyo office has Japanese speakers available to answer queries on tel: 03 5802 6781; fax: 03 5802 6782 (for international calls, the country code for Japan is 81).

## Subscription Rates

The journal is published six times per year and the prices for 2002 are as follows. Institution: ¥60 000 (Japan); US\$430 (rest of world). Personal: US\$100 (rest of world). For online subscription prices please contact [subs@blackwellpublishingasia.com](mailto:subs@blackwellpublishingasia.com). The journal is despatched by surface air-lifted delivery.

## Copyright and Photocopying

© 2002 Ecological Society of Japan. Authorization to photocopy items for internal or personal use, or the internal or personal use of specific clients is granted by the Ecological Society of Japan for libraries and other users registered with the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of US\$15 per copy is paid directly to CCC, 222 Rosewood Drive, Danvers, MA 01923, USA. This consent does not extend to other kinds of copying, such as copying for general distribution for advertising or promotional purposes, for creating new collective works or for resale. Special requests should be addressed to the publishers. ISSN: 0912-3814/2002 \$15.

## Disclaimer

The Publisher, the Society and the Editors cannot be held responsible for errors or any consequences arising from the use of information contained in this journal; the views and opinions expressed do not necessarily reflect those of the Publisher, the Society or the Editors, neither does the publication of advertisements constitute any endorsement by the Publisher, the Society or the Editors of the products advertised.

The publication of this journal is supported in part by a Grant-in-Aid for Publishing Research Results (Scientific Periodical) from the Japan Society for the Promotion of Science.

*This journal is printed on acid-free paper.*

# Contents

## VOLUME 17, NUMBER 1, FEBRUARY 2002

Inter-hemispheric comparison of bottom-up effects on community structure: Insights revealed using the comparative-experimental approach <i>Bruce A. Menge, Eric Sanford, Bryon A. Daley, Tess L. Freidenburg, Gregory Hudson and Jane Lubchenco</i>	1
Self-thinning lines differ with fertility level <i>E. Charles Morris</i>	17
Seed dispersal by Japanese marten <i>Martes melampus</i> in the subalpine shrubland of northern Japan <i>Tatsuya Otani</i>	29
Estimating colony locations of bumble bees with moving average model <i>Hiroshi Nakamura and Yukibiko Toquenaga</i>	39
Trophic polymorphism in introduced bluegill in Japan <i>Ryuji Yonekura, Katsuki Nakai and Masahide Yuma</i>	49
What makes a species vulnerable to extinction? Comparative life-history traits of two sympatric snakes <i>Jonathan K. Webb, Barry W. Brook and Richard Shine</i>	59
Distribution of cave-dwelling bats and conservation status of underground habitats in the Istanbul area <i>Andrzej Furman and Arpat Özgül</i>	69
Distribution and abundance of spotted seals <i>Phoca largha</i> and ribbon seals <i>Phoca fasciata</i> in the southern Sea of Okhotsk <i>Ayako W. Mizuno, Akihiko Wada, Tsuyoshi Ishinazaka, Kaoru Hattori, Yukiko Watanabe and Noriyuki Ohtaishi</i>	79
Characteristics of gas exchange and morphology of a spring ephemeral, <i>Erythronium japonicum</i> , in comparison with a sun plant, <i>Glycine max</i> <i>Shinichi Sawada, Toshiaki Kato, Makiko Sato and Minobu Kasai</i>	97
Reduced soil contributes to the anomalous occupation of dwarf communities in N-richer habitats in a cool-temperate mire <i>Takatoshi Nakamura, Kazuo Yabe, Teruyuki Komatsu and Shigeru Uemura</i>	109
Technical Report New method of monitoring remote wildlife via the Internet <i>Masatoshi Yasuda and Kazuto Kawakami</i>	119
Note and Comment Warming effects on shoot developmental growth and biomass production in sympatric evergreen alpine dwarf shrubs <i>Empetrum nigrum</i> and <i>Loiseleuria procumbens</i> <i>Naoya Wada, Masaki Shimono, Michiru Miyamoto and Satoru Kojima</i>	125

## VOLUME 17, NUMBER 2, MARCH 2002

Special Issue Preface Food web dynamics in spatial heterogeneity under multiple disturbances <i>Zen'ichiro Kawabata</i>	133
---	-----

Symposium I. Food webs in aquatic ecosystems: Effects of spatial structure and physico-chemical processes	
Nutritional diagnosis of phytoplankton in Lake Baikal <i>Motomi Genkai-Kato, Tatsuki Sekino, Takehito Yoshida, Hirosbi Miyasaka, Tamara V. Khodzher, Olga A. Belykh, Natalia G. Melnik, Zen'ichiro Kawabata, Masabiko Higashi and Masami Nakanishi</i>	135
Pelagic food webs: Responses to environmental processes and effects on the environment <i>Louis Legendre and Richard B. Rivkin</i>	143
Roles of food web and heterotrophic microbial processes in upper ocean biogeochemistry: Global patterns and processes <i>Richard B. Rivkin and Louis Legendre</i>	151
Copepoda – Cladocera – Tunicata: The role of three major mesozooplankton groups in pelagic food webs <i>Ulrich Sommer and Herwig Stibor</i>	161
Oscillations and chaos generated by competition for interactively essential resources <i>Jef Huisman and Franz J. Weissing</i>	175
Prokaryotic and viral diversity patterns in marine plankton <i>Jed A. Fuhrman, John F. Griffith and Michael S. Schwalbach</i>	183
Symposium II. Food web structure above and below ground: Consequences of resource availability	
Termite ecology in a dry evergreen forest in Thailand in terms of stable ( $\delta^{13}\text{C}$ and $\delta^{15}\text{N}$ ) and radio ( $^{13}\text{C}$ , $^{137}\text{Cs}$ and $^{210}\text{Pb}$ ) isotopes <i>Ichiro Tayasu, Toshio Nakamura Hirotaka Oda, Fujio Hyodo, Yoko Takematsu and Takuya Abe</i>	195
Sensitivity of ecosystem functioning to changes in trophic structure, functional group composition and species diversity in belowground food webs <i>Heikki Setälä</i>	207
Soil food web components affect plant community structure during early succession <i>Alan C. Gange and Valerie K. Brown</i>	217
Characteristics of insect populations on habitat fragments: A mini review <i>Teja Tschantke, Ingolf Steffan-Dewenter, Andreas Kruess and Carsten Thies</i>	229
Resource-driven terrestrial interaction webs <i>Peter W. Price</i>	241
Symposium III. Food webs in heterogeneous and disturbed environments	
Mechanisms of successional dynamics: Consumers and the rise and fall of species dominance <i>J. Timothy Wootton</i>	249
Food webs in space: On the interplay of dynamic instability and spatial processes <i>Robert D. Holt</i>	261

# VOLUME 17, NUMBER 3, MAY 2002

Host plant suitability of a recently naturalized thistle <i>Cirsium vulgare</i> (Asteraceae) for a phytophagous ladybird beetle, <i>Epilachna pustulosa</i> (Coleoptera: Coccinellidae) <i>Naoyuki Fujiyama and Haruo Katakura</i>	275
Diverse visitors with various pollinator importance and temporal change in the important pollinators of <i>Geranium thunbergii</i> (Geraniaceae) <i>Ikuo Kandori</i>	283

Floral sexual dimorphism and flower choice by pollinators in a nectarless monoecious vine <i>Akebia quinata</i> (Lardizabalaceae) <i>Tetsubiro Kawagoe and Nobuhiko Suzuki</i>	295
Photosynthesis–nitrogen relationships in species at different altitudes on Mount Kinabalu, Malaysia <i>Kouki Hikosaka, Dai Nagamatsu, Hiroshi S. Ishii and Tadaki Hirose</i>	305
Effects of domestication and agronomic selection on phytoalexin antifungal defense in <i>Phaseolus</i> beans <i>Roberto Lindig-Cisneros, Rodolfo Dirzo and Francisco J. Espinosa-García</i>	315
Allometry and life history of a forest understory palm <i>Pinanga coronata</i> (Arecaceae) on Mount Halimun, West Java <i>Machiko Kimura and Herwint Simbolon</i>	323
Different bird strategies and their responses to habitat changes in an agricultural landscape <i>Stanisław Tworek</i>	339
Factors causing variation in flock size: Decision making to join a foraging flock <i>Noriyuki Yamaguchi and Tetsukazu Yahara</i>	361
Territorial defense of an excess food supply by an algal grazing fish, ayu <i>Kei'ichiro Iguchi and Shin-ichiro Abe</i>	373
Effects of progressive grazing of a pasture on the spatial distributions of herbage mass and utilization by cattle: A preliminary study <i>Masabiko Hirata, Reiko Sato and Shin-ichiro Ogura</i>	381
Influence of the red fox ( <i>Vulpes vulpes</i> , Linnaeus 1758) on the distribution and number of breeding birds in an intensively used farmland <i>Piotr Tryjanowski, Bartłomiej Gołdyn and Adrian Surmacki</i>	395
Effects of rainfall events on soil CO <sub>2</sub> flux in a cool temperate deciduous broad-leaved forest <i>Mi-sun Lee, Kaneyuki Nakane, Takayuki Nakatsubo, Wen-bong Mo and Hiroshi Koizumi</i>	401
Note and Comment Change in body mass in relation to breeding phase in bull-headed shrikes <i>Masaaki Takagi</i>	411
Note and Comment A common allometric equation for predicting stem weight of mangroves growing in secondary forests <i>Akira Komiyama, Vipak Jintana, Tanuwong Sangtiew and Shogo Kato</i>	415

## VOLUME 17, NUMBER 4, JULY 2002

Effects of partitioning allochthonous and autochthonous resources on food web stability <i>Gary R. Huxel, Kevin McCann and Gary A. Polis</i>	419
Seasonal subsidy stabilizes food web dynamics: Balance in a heterogeneous landscape <i>Gaku Takimoto, Tomoya Iwata and Masashi Murakami</i>	433
Functional domains in soils <i>Patrick Lavelle</i>	441
Food webs in river networks <i>Mary Eleanor Power and William Eric Dietrich</i>	451
Effect of heterotrophic nanoflagellates on the loss of virus-like particles in pond water <i>Pathmalal M. Manage, Zen'ichiro Kawabata, Shin-ichi Nakano and Yuichiro Nishibe</i>	473

Factors affecting seedling recruitment and survivorship of the Japanese subalpine stone pine, <i>Pinus pumila</i> , after seed dispersal by nutcrackers <i>Takuya Kajimoto</i>	481
Importance of permafrost as a source of water for plants in east Siberian taiga <i>Atsuko Sugimoto, Nao Yanagisawa, Daisuke Naito, Noboru Fujita and Trofim C. Maximov</i>	493
Vegetation gradients in relation to temporal fluctuation of environmental factors in Bekanbeushi peatland, Hokkaido, Japan <i>Taro Asada</i>	505
<b>Technical Report</b>	
Measuring the number of co-dominants in ecological communities <i>Zaal Kikvidze and Masabiko Ohsawa</i>	519

# VOLUME 17, NUMBER 5, SEPTEMBER 2002

Deer browsing reduces leaf damage by herbivorous insects through an induced response of the host plant <i>Aya Shimazaki and Tadasbi Miyashita</i>	527
How does spittlebug oviposition affect shoot growth and bud production in two willow species? <i>Akiyoshi Nozawa and Takayuki Ogasbi</i>	535
Bark stripping of hinoki cypress by sika deer in relation to snow cover and food availability on Mt Takahara, central Japan <i>Hironori Ueda, Seiki Takatsuki and Yasunori Takahashi</i>	545
Hoarding of acorns by granivorous mice and its role in the population processes of <i>Pasania edulis</i> (Makino) Makino <i>Koichi Sone, Sachiko Hiroi, Daisuke Nagahama, Chiharu Ohkubo, Eiji Nakano, Shun-ichi Murao and Kunihiko Hata</i>	553
Habitat evaluation for crested ibis: A GIS-based approach <i>Xinbai Li, Dianmo Li, Yiming Li, Zhijun Ma and Tianqing Zhai</i>	565
Tree mortality of five major species on Hokkaido Island, northern Japan <i>Kiyoshi Umeke</i>	575
Light utilization and competition between <i>Echinacea purpurea</i> , <i>Panicum virgatum</i> and <i>Ratibida pinnata</i> under greenhouse and field conditions <i>Michael Knee and Laura C. Thomas</i>	591
Base mineral inflow in a remnant cool-temperate mire ecosystem <i>Kazuo Yabe and Takatoshi Nakamura</i>	601
Corrigendum	615

# VOLUME 17, NUMBER 6, NOVEMBER 2002

Prudent investment in rearing nestlings in bull-headed shrikes <i>Masaoki Takagi</i>	617
Impacts of dugong foraging on benthic animal communities in a Thailand seagrass bed <i>Masabiro Nakaoka, Hiroshi Mukai and Suraphol Chumabundit</i>	625
Ontogenetic change in the diet of the pond frog, <i>Rana nigromaculata</i> <i>Toshiaki Hirai</i>	639

Differences in diapause attributes between two clinal forms distinguished by male-to-male aggression in a subsocial spider mite, <i>Schizotetranychus miscanthi</i> Saito <i>Yutaka Saito, Takane Sakagami and Ken Sabara</i>	645
Anuran-dependent predation by the giant water bug, <i>Lethocerus deyrollei</i> (Hemiptera: Belostomatidae), in rice fields of Japan <i>Toshiaki Hirai and Kazumasa Hidaka</i>	655
Splash seed dispersal by raindrops <i>Hiroki Nakanishi</i>	663
Influence of shade timing on an <i>Equisetum arvense</i> L. population <i>Yoshiaki Sakamaki and Yoshio Ino</i>	673
Spatial and seasonal heterogeneity in understory light conditions caused by differential leaf flushing of deciduous overstory trees <i>Shogo Kato and Akira Komiyama</i>	687
Differences in nitrogen use efficiency between leaves from canopy and subcanopy trees <i>Ryunosuke Tateno and Hideyuki Kawaguchi</i>	695
Importance of clonal plants and plant species diversity in the Northeast China Transect <i>Minghua Song, Ming Dong and Gaoming Jiang</i>	705
Note and Comment	
Effects of worker manipulation on the sex ratio of a Japanese ant species, <i>Myrmecina nipponica</i> <i>Tomonori Kikuchi, Ribo Yoshioka and Noriko Azuma</i>	717
Referees	721
Author index	723
Subject index	725